

 Quartz Plates			
L(mm)	Thick(mm)	W(mm)	AREA
76-80	3.3-4	1400	C31
76-80	3.9-4.5	1400	C31
130	6	1400	C31
75±1	3-3.5	1400	C31
75±1	3-3.5	1400	C31
75±1	3-3.5	1400	C31
75±1	3-3.5	1400	C31
75±1	3-3.5	1400	C31
71-74	3.2-3.7	1400	C31
65-70	3-3.5	1400	C31
78-86	3.9-4.5	1400	C31
199-203	4.2-4.5	1300	C31
130	6	140	C3
120-200	2.9-4.4	1400	C32
120-210	3-5.9	1400	C32
126-130	5.8-6.5	1400	C32
130±2	6±0.2	1400	C30
130±2	6±0.2	1400	C30
130±2	6±0.2	1400	C30
130±2	6±0.2	1400	C30
130±2	5.8-6.5	1400	C30
130±2	5.8-6.5	1400	C30
130±2	6±0.2	1400	C29
130±2	6±0.2	1400	C3
130±2	6±0.2	1400	C3
130±2	5.8-6.5	1400	C3
140-155	2.8-4.4	1300	C37
140-205	2.9-5.3	1300	C32
145-162	4-4.8	1180	C32
150-160	4-4.6	1300	C2
150-160	4.3-4.8	1300	C28
150-190	4.2-5	1300	C33
152-160	4.3-4.8	1300	C37
155-165	4.2-4.8	1300	C2
158-165	4.4-4.8	1300	C37
158-165	4.4-4.8	1300	C37
158-165	4.3-4.8	1300	C32
158-165	4.4-4.8	1300	C3
158-184	7.3-9.5	1400	C30
159-165	4.4-4.8	1300	C37
159-167	4.3-4.9	1300	C37
160±2	7.2-8.2	1400	C37

160±2	4.4-4.8	1300	C2
160±2	7.2-8.2	1400	C30
160±2	7.2-8.2	1400	C30
160±2	7.2-8.2	1400	C30
160±2	7.2-8.2	1400	C30
160±2	7.2-8.2	1400	C30
160±2	4.4-4.8	1300	C28
160±2	4.4-4.8	1300	C37
160±2	4.4-4.9	1300	C37
160±2	4.3-4.8	1300	C36
160±2	4.4-4.8	1300	C32
160±2	4.4-4.8	1300	C3
160±2	7.2-8.2	1400	C3
160-165	4.4-4.9	1300	C2
160-165	4.4-4.9	1300	C37
160-165	4.3-4.9	1300	C37
160-165	4.4-4.9	1300	C37
160-183	7.3-9.3	1400	C30
160-190	3.3-4	1300	C28
160-230	4.4-6.9	1300	C28
165-175	4.2-4.8	1300	C28
165-175	4.1-4.7	1300	C32
165-175	4.2-4.8	1300	C32
165-178	4.6-5.2	1300	C37
165-200	3.5-4.3	1300	C33
170-180	3.6-4	1300	C27
170-180	4.3-4.8	1300	C32
170-185	3.6-4	1300	C36
175-180	4.7-4.8	1300	C28
175-195	4-5	1300	C33
178-188	4.7-5.3	1300	C2
178-190	4.9-5.4	1300	C37
180-183	8.5-9.6	1400	C30
180-189	4-4.3	1300	C27
180-189	4.1-4.4	1300	C27
180-189	3.8-4.1	1300	C27
180-190	4.9-5.9	1300	C2
180-190	4.9-5.4	1300	C2
180-190	3.5-3.8	1240	C28
180-190	3.6-3.8	1240	C28
180-190	3.8-4.2	1300	C27
180-190	3.8-4.2	1300	C27
180-190	4.9-5.5	1300	C37
180-190	3.8-4.2	1300	C36
180-190	3.8-4.2	1300	C36

180-190	3.8-4.2	1300	C36
180-190	3.8-4.1	1300	C3
180-195	3.7-4.1	1300	C28
180-195	3.8-4.2	1300	C28
180-195	3.7-4.3	1300	C33
180-198	4-4.5	1300	C28
180-198	4-4.5	1300	C28
180-199	3.7-4.2	1300	C28
180-220	4-5	1300	C33
185-192	5-5.6	1300	C2
185-195	5-6.6	1300	C2
190-195	5-5.7	1300	C2
190-199	4-4.4	1300	C28
190-199	4.5-4.7	1300	C27
190-199	4.3-4.6	1300	C27
190-199	4.1-4.3	1300	C27
190-199	4.2-4.4	1300	C27
190-199	4.7-4.9	1300	C27
190-199	4.7-4.9	1300	C25
190-199	4-4.2	1300	C37
190-199	4.1-4.4	1300	C36
190-199	4.1-4.3	1300	C36
190-199	4.7-4.9	1300	C36
190-199	4.1-4.4	1300	C36
190-199	4-4.4	1300	C36
190-199	4.1-4.3	1300	C36
190-199	4-4.3	1300	C36
190-199	4-4.2	1300	C37
190-199	4-4.4	1300	C35
190-199	4-4.4	1300	C34
190-199	4.2-4.4	1300	C3
190-200	4.3-4.7	1300	C27
190-200	5.1-5.7	1300	C35
190-200	4.3-4.8	1300	C33
190-200	4.9-5.7	1300	C32
190-200	4.8-5.7	1300	C3
194-199	3.8-4	1240	C28
195-199	4.2-4.4	1300	C29
195-199	3.8-4	1240	C28
195-199	4.4-4.7	1300	C36
195-199	4.2-4.4	1300	C36
195-199	4.2-4.4	1300	C36
195-200	4.6-5	1300	C27
195-200	4.6-4.9	1300	C25
195-200	4.8-5.1	1300	C36

195-205	4.8-5.2	1300	C36
195-230	4-6.9	1300	C32
197-203	4.5-4.7	1300	C27
198-202	4-4.2	1300	C28
198-210	4-4.4	1240	C28
199-200	4.5-4.8	1300	C32
199-202	4.2-4.4	1300	C36
199-203	4.2-4.5	1300	C29
199-203	4.2-4.5	1300	C27
199-203	4.2-4.5	1300	C36
199-203	4.5-4.8	1300	C36
199-203	4.2-4.5	1300	C36
199-203	4.5-4.8	1300	C36
199-203	4.2-4.5	1300	C36
199-203	4.5-4.8	1300	C32
200-203	4.3-4.5	1300	C36
200-203	4.3-4.5	1300	C36
200-203	4.3-4.5	1300	C36
200-203	4-4.3	1300	C33
200-205	4.1-4.5	1300	C36
200-204	4.2-4.4	1300	C28
200-204	4.2-4.4	1300	C28
200-205	4.8-5.2	1300	C36
200-205	5.4-5.7	1300	C1
200-205	5.2-5.8	1300	C29
200-205	5.3-5.8	1300	C25
200-205	4.1-4.5	1300	C35
200-205	5.3-5.6	1300	C34
200-205	4-4.3	1240	C33
200-205	4.2-4.4	1300	C33
200-205	4.9-5.3	1300	C32
200-205	5.1-5.4	1300	C32
200-205	5.2-6.3	1300	C32
200-205	4.1-4.5	1300	C3
200-210	5.4-5.8	1300	C1
200-210	5.2-6.2	1300	C1
200-210	5.4-6	1300	C1
200-210	5.2-5.5	1300	C28
200-210	5.3-5.6	1300	C28
200-210	5.2-5.5	1300	C28
200-210	5.4-5.7	1300	C28
200-210	5-5.3	1300	C28
200-210	4.9-5.2	1300	C28
200-210	5.2-6.2	1300	C27
200-210	5-6.1	1300	C27

200-210	5.2-6.2	1300	C27
200-210	5.2-5.9	1300	C36
200-210	5.3-6	1300	C35
200-210	5.3-5.9	1300	C35
200-210	5.2-5.9	1300	C35
200-210	5.3-5.9	1300	C35
200-210	5.2-5.9	1300	C35
200-210	5-5.5	1300	C34
200-210	5.1-5.5	1300	C34
200-210	5.3-5.8	1300	C33
200-210	5.5-5.9	1300	C33
200-210	4.4-5	1300	C33
200-210	5.3-5.6	1300	C33
200-210	5.4-5.8	1300	C33
200-210	5.1-5.5	1300	C33
200-210	5.1-5.5	1300	C33
200-210	5.3-5.9	1300	C33
200-210	5.2-5.9	1300	C33
200-210	5.2-5.8	1300	C33
200-210	5.3-6	1300	C33
200-215	4.9-6.1	1300	C33
200-220	4-5.5	1300	C33
220-230	6.3-6.9	1300	C32
203-227	5.3-6.9	1150	C35
204-210	5.3-5.9	1300	C1
205±2	5.3-6	1300	C1
205±2	5.2-5.6	1300	C1
205±2	5.4-6	1300	C1
205±2	5.2-6.2	1300	C1
205±2	5.2-5.8	1300	C29
205±2	5.3-5.9	1300	C29
205±2	5.2-6.2	1300	C29
205±2	5.2-6.2	1300	C27
205±2	5.3-5.9	1300	C27
205±2	5.3-5.8	1300	C26
205±2	5.3-5.9	1300	C25
205±2	5.3-5.8	1300	C36
205±2	5.3-5.9	1300	C36
205±2	5.3-5.8	1300	C36
205±2	5.4-6	1300	C35
205±2	5.3-5.9	1300	C35
205±2	5.2-5.9	1300	C35
205±2	5.3-6	1300	C35
205±2	5.3-5.8	1300	C35
205±2	5.4-5.9	1300	C35

205±2	5.4-6	1300	C35
205±2	5.3-5.8	1300	C34
205±2	5.3-5.7	1300	C34
205±2	5.5-5.9	1300	C34
205-210	5.5-5.9	1300	C1
205-210	5.5-5.9	1300	C1
205-210	5.5-5.8	1300	C1
205-210	5.5-5.9	1300	C29
205-210	5.5-5.9	1300	C29
205-210	5.3-5.6	1300	C28
205-210	5.1-5.3	1300	C28
205-210	5-5.3	1300	C28
205-210	5.5-5.9	1300	C27
205-210	5.5-5.8	1300	C27
205-210	5.2-5.5	1300	C26
205-210	5.3-5.6	1300	C26
205-210	4.3-4.6	1300	C26
205-210	5.5-5.8	1300	C26
205-210	5.5-5.9	1300	C25
205-210	5.2-5.5	1300	C25
205-210	5.4-5.8	1300	C25
205-210	5.5-5.8	1300	C25
205-210	5.5-5.9	1300	C36
205-210	5.2-5.5	1300	C36
205-210	5.4-5.8	1300	C36
205-210	5.1-5.4	1300	C36
205-210	5.3-5.9	1300	C35
205-210	5.4-6	1300	C35
205-210	5.5-5.9	1300	C35
205-210	5.5-5.8	1300	C35
205-210	5.5-5.8	1300	C34
205-210	5.3-5.6	1300	C34
205-210	5.2-5.5	1300	C34
205-210	5.4-5.7	1300	C34
205-210	5.5-5.9	1300	C34
205-210	5.4-5.9	1300	C34
205-210	5.3-5.8	1300	C34
205-210	5.5-5.9	1300	C34
205-210	5.2-5.5	1300	C33
205-210	5.2-5.5	1300	C33
205-210	5.3-5.6	1300	C33
205-210	5.5-5.9	1300	C33
205-210	5.3-5.6	1300	C33
205-210	5-5.4	1300	C32
205-210	5.1-5.4	1300	C32

205-210	5.5-5.8	1300	C3
210-215	5.5-5.9	1300	C27
210-215	5.5-5.9	1300	C25
210-215	5.5-5.9	1300	C34
210-220	5.9-6.7	1300	C29
210-220	5-5.4	1300	C29
210-220	5.9-6.7	1300	C29
210-220	5-5.3	1300	C27
210-220	4.9-5.3	1300	C27
210-220	5.9-6.7	1300	C27
215-225	5.3-6.8	1300	C1
218-230	6.1-6.9	1300	C29
220-230	6.1-6.9	1300	C1
220-230	6.2-6.9	1300	C1
220-230	6.3-6.9	1300	C1
220-230	6.1-6.9	1300	C29
220-230	6.2-6.9	1300	C29
220-230	6.3-6.9	1300	C27
220-230	6.1-6.9	1300	C27
220-230	6.3-6.9	1300	C32
220-230	6.1-6.9	1300	C3
225±2	6.3-6.9	1300	C1
225±2	6.3-7	1300	C1
225±2	6.3-6.9	1300	C3
225±2	6.3-6.9	1300	C29
225±2	6.3-6.9	1300	C27
225±2	6.3-6.9	1300	C27
225±2	6.3-6.9	1300	C26
225±2	6.3-6.9	1300	C29
225±2	6.3-6.9	1400	C3
130±2	6±0.2	1400	C3
230±2	6.3-6.7	1300	C29
250-210	5.1-5.4	1300	C28
65-70	3-3.5	1400	C31
73±1	3-3.5	1400	C2
73±1	3-3.5	1400	C2
73±1	3-3.5	1400	C31
75±1	3-3.5	1400	C2
75±1	3-3.5	1400	C2
75±1	3-3.5	1400	C31
75±1	3-3.5	1400	C31
75±1	3-3.5	1400	C31
75±1	3-3.5	1400	C31
75±1	3.3-3.7	1400	C31
75±1	3.3-3.6	1400	C2

153-179	7-8.7	1400	C3
225±2	6.3-6.9	1300	C3
160±2	7.2-8.2	1400	C30
171-173	8.3-8.7	1400	C30
160±2	7.2-8.2	1400	C30
159-165	7.2-8.2	1400	C30
160±2	7.2-8.2	1400	C30
157-159	7.6-7.9	1400	C30
162-164	7.5-8.2	1400	C30
152-155	7.2-7.9	1400	C30
160±2	7.2-8.2	1400	C30
162-164	7.5-8.2	1400	C30
152-155	7.2-7.9	1400	C30